

Skin:

Inhalation:

SAFETY DATA SHEET


Page 1 of 6 PRO1-010

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 1272/2008/EC & GHS Standards SDS Revision: 1.0 SDS Revision Date: 2/22/2021 Classification of the Hazardous Chemical (in accordance with WHS Regulation) 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: ProOne® MULTI-PURPOSE EP-2 GREASE 1.2 Chemical Name: 1.3 Synonyms: NA 1.4 Trade Names: ProOne® Multi-Purpose EP-2 Grease 1.5 Product Uses & Restrictions **Lubricating Grease** 1.6 Distributor's Name Pro-1-One Lubrication Australia PTY LTD 1.7 Distributor's Address: 6/165 Rookwood Rd, Yagoona NSW 2199, Sydney, Australia 1.8 Emergency Phone: Poisons Information Centre: Australia: 13 11 26 New Zealand: 0800 764 766 1.9 Business Phone / Fax: Tel: +61 1300 00 7761 2. HAZARDS IDENTIFICATION 2.1 Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). In the event of an exposure or medical inquiry involving this product, please contact a physician or local poison control center, who may seek advice from the U.S. manufacturer, and show them this SDS. DANGER! MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE. MAY CAUSE LONG LASTING HARMFUL EFFECTS TO AQUATIC LIFE. Classification: Asp. Tox. 1; Skin. Irrit. 2; Eye Dam. 1; Aquatic Chronic 4 Hazard Statements (H): H304 - May be fatal if swallowed and enters airways. H315 - Causes skin irritation. H318 - Causes serious eye damage. H413 - May cause long lasting harmful effects to aquatic life. Precautionary Statements (P): P264 – Wash thoroughly with soap and water after handling. P280 Wear protective gloves/eye protection. P273 – Avoid release to the environment. P301+P310 – IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331 - Do NOT induce vomiting. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P321 - Specific treatment see this container label. P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and was it before reuse. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER/doctor. P405 - Store locked up. P501 - Dispose of contents/container to an approved waste disposal plant. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) **ACGIH** NOHSC **OSHA** ppm ppm ppm ES-ES. RTECS No. **EINECS No** TLV STEL PEL STEL IDLH OTHER CHEMICAL NAME(S) CAS No. TWA STEL PEAK DISTILLATES (PETROLEUM), MIST 64742-54-7 PY8035501 265-157-1 30-70 5 NF NF NF NF 5 NF NF HYDROTREATED HEAVY Asp. Tox. 1; H304 PARAFFINIC8 61789-86-4 NA 263-093-9 20-30 NA NA NF NF NF NA NA NA **CALCIUM SULFONATE** Skin Sens. 1; Eye Irrit. 2; H317, H319 26264-06-2 NA 247-557-8 1.0-10 NA NA NF NF NF NA NA NA CALCIUM DODECYLBENZENESULFONATE Skin Irrit. 2; Eye Dam. 1; Aquatic Chronic 4; H315, H318, H413 THIODIETHYLENE BIS [3-(3,5-DI-NF NF NF TERT-BUTYL-4-HYDROXY-PHENYL) PROPIONATE] NA NA 0.0-10 NA NA NF NF NF NA NA NA ProOne® PROPRIETARY * contains less than 3% Dimethyl Sulfoxide (DMSO) 4. FIRST AID MEASURES DO NOT INDUCE VOMITING. Contact ChemTrec at +1 (703) 527-3887 or the nearest Poison Control 4.1 First Aid: Ingestion: Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration. If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, Eyes: holding eyelid(s) open to ensure complete flushing. If the eyes or face become swollen during or following use, consult a physician or emergency room immediately.

Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned.

Remove victim to fresh air at once. If breathing is difficult, administer supplemental oxygen and seek

immediate medical attention. If breathing stops, perform artificial respiration.



SDS Revision: 1.0

Page 2 of 6 PRO1-010

SDS Revision Date: 2/22/2021

Classification of the Hazardous Chemical (in accordance with WHS Regulation) 4. FIRST AID MEASURES - cont'd Effects of Exposure: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Ingestion: May cause transient mild-eye irritation with short-term contact with liquid, spray or mist. Eyes: This product can cause mild, transient skin irritation with short-term exposure. This product can cause Skin: allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. Inhalation: No significant adverse health effects are expected to occur upon short-term exposure to this product. Aspiration of liquid into the lungs can cause severe lung damage or death. 4.3 Symptoms of Overexposure Overexposure in eyes may cause redness, itching and watering. Eyes: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas The product Skin: can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause Acute Health Effects: 4.4 drowsiness, dizziness, headaches and nausea. 4.5 Chronic Health Effects: Contains a petroleum-based mineral oil. Prolonged or repeated skin contact can cause mild irritation and inflammation characterized by drying, cracking, (dermatitis) or oil acne. Repeated or prolonged inhalation of petroleum-based mineral oil mists at concentrations above applicable workplace exposure levels can cause respiratory irritation or other pulmonary effects. Eyes, Skin, Respiratory System. 4.6 Target Organs: 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 1 Aggravated by Exposure: target organs (eyes, skin, and respiratory system). FLAMMABILITY 1 0 PHYSICAL HAZARDS PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: This material can burn but will not readily ignite. This material will release vapors when heated above the flash point temperature that can ignite when exposed to a source of ignition. In enclosed spaces, heated vapor can ignite with explosive force. Mists or sprays may burn at temperatures below the flash point. Carbon dioxide, carbon monoxide, smoke, fumes, unburned hydrocarbons and trace oxides of sulfur, phosphorus and nitrogen. Also, depending upon the conditions of use, low concentrations of hydrogen sulfide can be released. Extinguishing Methods: 5.2 Dry Chemical, Foam, Carbon Dioxide, Water Fog 5.3 Firefighting Procedures Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Avoid spraying water directly into storage containers because of danger of boil over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Use normal hygiene practices. Avoid breathing vapors. Avoid direct skin contact. Wash hands thoroughly after using this product and before eating, drinking, or smoking. 7.2 Storage & Handling: Use and store in a cool, dry, well-ventilated area. Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Do not store in unmarked containers or storage devices 7.3 Special Precautions: Empty containers may contain product residue. Do not pressurize, cut, heat or weld empty containers. Do not reuse empty containers without commercial cleaning or reconditioning. Keep container tightly closed when not in use. Do not store at temperatures above 120°F (49°C) Store away from strong oxidizers



Stability:

Hazardous Decomposition

Hazardous Polymerization:

Incompatible Substances:

Conditions to Avoid

10.1

10.2

10.3

10.4

10.5

SAFETY DATA SHEET

Page 3 of 6 PRO1-010

SDS Revision: 1.0 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 1272/2008/EC & GHS Standards SDS Revision Date: 2/22/2021 Classification of the Hazardous Chemical (in accordance with WHS Regulation) 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Exposure Limits: **ACGIH** NOHSC OTHER OSHA ppm (mg/m³) ES-TWA ES-PEAK **CHEMICAL NAME(S)** TLV STEL **ES-STEL** STEL **IDLH** DISTILLATES (PETROLEUM), HYDROTREATED HEAVY 5 NA NF NΑ NA MIST PARAFFINIC 8.2 Ventilation & Engineering Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne vapor. Ensure eyewash/safety shower stations are available near areas where this product is used 8.3 Respiratory Protection: Maintain airborne contaminant concentrations below guidelines listed above, if applicable. necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states. 8.4 Eye Protection: Safety glasses equipped with side shields should be adequate protection under most conditions of use. Wear goggles and/or face shield if splashing or spraying is anticipated. Wear goggles and face shield if material is heated above 125 °F (51 °C). Have suitable eye wash water available 8.5 Hand Protection: Use gloves constructed of chemical resistant materials such as neoprene or heavy nitrile rubber if frequent or prolonged contact is expected. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states 8.6 Body Protection: Avoid prolonged and/or repeated skin contact. Use clean and impervious protective clothing (e.g. neoprene or Tyvek®) if splashing or spraying conditions are present. Protective clothing should include long-sleeves, apron, boots and additional facial protection. Remove oil contaminated clothing. Launder oil contaminated clothing before reusing. Contaminated leather goods should be removed promptly and discarded. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Blue colored semi-solid paste 9.2 Odor Mild petroleum odor 9.3 Odor Threshold: NA 9.4 pH: NA 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 NA Range: 9.7 Flashpoint 275 °C (527 °F) 9.8 Upper/Lower Flammability Limits: 9.9 Vapor Pressure: Negligible at ambient temperature 9.10 Vapor Density 9.11 Relative Density: 0.886-0.89 9.12 Solubility: NA Partition Coefficient (log Pow): 9.13 NA 9.14 Autoignition Temperature NA 9.15 Decomposition Temperature NA Viscosity 9.16 NA 9.17 Other Information: VOC: < 1%

STABILITY & REACTIVITY

Open flames, sparks, high heat, and close proximity to incompatible substances.


10.

Fumes, smoke, carbon monoxide, silicon oxides.

Stable at normal temperatures.

Will not occur.

Strong oxidizing agents



SDS Revision: 1.0

Page 4 of 6 PRO1-010

SDS Revision Date: 2/22/2021

Classification of the Hazardous Chemical (in accordance with WHS Regulation) 11. TOXICOLOGICAL INFORMATION Inhalation: NO Routes of Entry: Absorption: YES Ingestion: YES 11.1 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product and is presented below: Distillates, Petroleum, Solvent-Refined, Heavy Paraffinic - LD₅₀ (oral, rat) > 5000 mg/kg; LD₅₀ (dermal, rabbit) > 2000 mg/kg 11.3 Acute Toxicity: Oil mists derived from highly refined oils are reported to have low acute and sub-acute toxicities in animals. Effects from single and short-term repeated exposures to high concentrations of oil mists well above applicable workplace exposure levels include lung inflammatory reaction, lipoid granuloma formation and lipoid pneumonia. In acute and sub-acute studies involving exposures to lower concentrations of mineral oil mists at or near current work place exposure levels produced no significant toxicological effects. Chronic Toxicity 11.4 In long term studies (up to two years) no carcinogenic effects have been reported in any animal species tested. Suspected Carcinogen: 11.5 This product contains a severely hydrotreated distillate with less than 3 % DMSO extract as measured by IP 346 and is, therefore, not considered a carcinogen. 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to produce teratogenic effects in humans. Reproductive Toxicity: This product is not reported to produce reproductive effects in humans. Irritancy of Product: 11.7 See section 4.3 11.8 Biological Exposure Indices NE 11.9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: This product is believed to be stable. Engineering controls should be put in place to prevent release to the environment. 122 Effects on Plants & Animals: No evidence is currently available on this product's effects on plants or animals. 12.3 Effects on Aquatic Life: There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Dispose of in accordance with federal, state, provincial and local hazardous waste laws Special Considerations: 13.2 NA 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 14.1 49 CFR (GND): **NOT REGULATED** IATA (AIR): 14.2 NOT REGULATED IMDG (OCN): 14.3 NOT REGULATED 14.4 TDGR (Canadian GND): NOT REGULATED 14.5 ADR/RID (EU): **NOT REGULATED** 14.6 SCT (MEXICO): **NOT REGULATED** ADGR (AUS): 14 7 **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting 15.1 This product does not contain any substances subject to SARA Title III, section 313 reporting requirements. 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. 15.4 CERCLA Reportable Quantity Calcium Dodecylbenzenesulfonate: 454 kg (1,000 lbs) (RQ) 15.5 Other Federal Requirements: None of the ingredients are listed as Hazardous Air Pollutants (HAPs). None of the ingredients are listed as Toxic Pollutants under the Clean Water Act (CWA). None of the ingredients are listed as Priority Pollutants under the Clean Water Act (CWA). This product does not contain any Class 1 or Class 2 ozone depletors Other Canadian Regulations: 15.6 This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects)



Page 5 of 6 **PRO1-010**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 1272/2008/EC & GHS Standards

SDS Revision: 1.0

SDS Revision Date: 2/22/2021

		15. REGULATORY INFO	RMATION – cont'd				
15.7 State Regulatory Information: Calcium Dodecylbenzenesulfonate is found on the following state criteria lists: Massachusetts Hazardous Substances List (MA) and Pennsylvania Right-to-Know List (PA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the follow criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hasubstances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Penright-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (VI)							
15.8							
		16. OTHER INFO	ORMATION				
16.1							
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	government regulations must be reviewed for ap knowledge, the information contained herein is r completeness is not guaranteed and no warra information contained herein relates only to the sp	SHA's Hazard Communication Standard, 29 CFR §1910.1200. Other plicability to this product. To the best of ShipMate's & ProOne, Inc.'s reliable and accurate as of this date; however, accuracy, suitability or nties of any type, either expressed or implied, are provided. The pecific product(s). If this product(s) is combined with other materials, all ta may be changed from time to time. Be sure to consult the latest				
16.4	Prepared for:	Pro-1-One Lubricant Australia PTY LTD 6/165 Rookwood Rd, Yagoona NSW 2199, Sydney, Australia Tel: +61 1300 00 7761 e-mail: info@pro-one.net.au http://www.pro-one.net.au	Propone LUBRICANTS.				
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting				



Page 6 of 6 PRO1-010

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 1272/2008/EC & GHS Standards

SDS Revision: 1.0

SDS Revision Date: 2/22/2021

Classification of the Hazardous Chemical (in accordance with WHS Regulation)

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number						
EXPOSURE	EXPOSURE LIMITS IN AIR:						
ACGIH	American Conference on Governmental Industrial Hygienists						
С	Ceiling Limit						
ES Exposure Standard (Australia)							
IDLH Immediately Dangerous to Life and Health							
OSHA	U.S. Occupational Safety and Health Administration						
PEL	Permissible Exposure Limit						
STEL	Short-Term Exposure Limit						
TLV Threshold Limit Value							
TWA	Time Weighted Average						

FIRST AID MEASURES:

CPR Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body


HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard				
1	1 Slight Hazard				
2	Moderate Hazard				
3	Severe Hazard				
4	Extreme Hazard				



PERSONAL PROTECTION RATINGS:

Α		
В		
С		
D		
Е		
F		9







欧 Face Shield &







Protective Clothing



Dust & Vapor Half-



Respirator



Airline Hood/Mask

or SCBA

Full Face Respirator Mask Respirator


OTHER STANDARD ABBREVIATIONS:					
ML	Maximum Limit				
mg/m3	milligrams per cubic meter				
NA	NA Not Available				
ND	Not Determined				
NE	Not Established				
NF	Not Found				
NR	No Results				
ppm	parts per million				
SCBA	Self-Contained Breathing Apparatus				

NATIONAL FIRE PROTECTION ASSOCIATION: NEPA

NATIONAL FII	NATIONAL FIRE PROTECTION ASSOCIATION: NFPA							
FLAMMABILITY LIMITS IN AIR:								
Autoignition Minimum temperature required to initiate combustion in air with n Temperature source of ignition								
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source							
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source							

HAZARD RATINGS:

0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			
ACD	Acidic			
ALK	Alkaline			
COR	Corrosive			
₩	Use No Water			
ОХ	Oxidizer			
TREFOIL	Radioactive			
TOYICOLOGICAL INFORMATION:				



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals		
	S		
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal		
ppm	Concentration expressed in parts of material per million parts		
TD _{lo}	Lowest dose to cause a symptom		
TCLo	Lowest concentration to cause a symptom		
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects		
TC, TC _o , LC _{io} , & LC _o			
IARC	International Agency for Research on Cancer		
NTP	National Toxicology Program		
RTECS	Registry of Toxic Effects of Chemical Substances		
BCF	Bioconcentration Factor		
TL _m	Median threshold limit		
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution		

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NOHSC	National Occupational Health and Safety Commission (Australia)
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(3)	(2)		1	(4)		R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

F.T.	繼	N	*	0	2	×	X
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

\Diamond			\Diamond			\line{\cdots}		(
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment